



WorkFlows Cataloging Set-up Guide

Last updated: June 26, 2026

This guide is also online at:

<https://support.librariesofrsa.org/project/workflows-cataloging-set-up-guide/>

If you have questions, please contact the RSA Help Desk at help@librariesofrsa.org or 866-940-4083.

Contents

Before You Begin.....	3
Configuration of Your WorkFlows Cataloging Account	4
Using the RSACat to Change Your Cataloging Account PIN	7
How to Log into WorkFlows to Adjust Settings	10
WorkFlows Interface Terminology	13
Viewing Your Cataloging Account in WorkFlows	14
Preference Menu: WorkFlows Configuration Settings	17
Preference Menu: Setting the WorkFlows Font	18
Preference Menu: Setting the WorkFlows Desktop Preferences.....	19
Help Menu: Check the Current WorkFlows User.....	21
Help Menu: Check the WorkFlows Version Number.....	22
Cataloging Module: Call Number and Item Maintenance Wizard	23
Cataloging Module: Item Search and Display Wizard	26
Cataloging Module: Item Search and Display Wizard <i>Optional Setting</i>	27
Cataloging Module: Add Title (i.e., Brief Record) Wizard	28
Cataloging Module: Delete Title, Call Numbers, or Items Wizard	30
Cataloging Module: Add Item Wizard	31
Cataloging Module: Edit Item Wizard	33
Cataloging Module: Transfers Wizard	34
Circulation Module: Add Brief Title Helper	35
Circulation Module: Add Item Wizard	37
Circulation Module: Add Brief Title Wizard	39

How to Complete WorkFlows Set-up	41
Important Reminder about WorkFlows Set-up.....	41
Removal of Cataloging Accounts from WorkFlows.....	42

Before You Begin

- You must perform these steps on each computer that has WorkFlows installed on it. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.
- An alternative is to save a copy of the Sirsi folder that contains the WorkFlows settings you have adjusted on one computer.
 - If the copy of the Sirsi folder is saved on a portable storage device, such as your library's RSA NFP flash drive, you can easily transfer the Sirsi folder to another computer that has WorkFlows installed on it.
 - Copying the Sirsi folder onto another computer will eliminate the need to repeat these set-up instructions on that computer.
 - For instructions how to copy and replace the Sirsi folder, please contact the RSA Help Desk at help@librariesofrsa.org or 1-866-940-4083.
- *You do not need to repeat these instructions each time you use WorkFlows on the same computer.*
- Please keep this guide in case you need to adjust cataloging settings in the future.

Configuration of Your WorkFlows Cataloging Account

- RSA will create WorkFlows cataloging accounts when staff participate in Basic WorkFlows Cataloging or RSA Bibload Workshops.
- All WorkFlows cataloging accounts begin with the first two letters of the library's WorkFlows code (or the first three letters of the library's code in the case of some libraries with branches), directly followed by an underscore, then the staff member's complete first name, followed by the first letter of his/her last name.


For example:

PK_JOANNEH

PX2_DEANNEG

- For libraries with branches, a WorkFlows cataloging account may catalog items that belong to any of that library's branches, even though the account will be registered under a particular branch.
- WorkFlows cataloging accounts can be configured to include any combination of the following authorization levels:
 - Circulation tasks:
 - All cataloging accounts include access to circulation wizards to allow staff to easily switch between cataloging and circulation tasks.
 - Cataloging accounts will eventually be used to access the MobileStaff application for RSA libraries. CIRC accounts should currently be used to access MobileStaff.
 - Basic cataloging:
 - All cataloging accounts include access to the basic authorization level.
 - This authorization level includes add, edit, and delete functionality using these wizards: Call Number and Item Maintenance, Add Title, Delete Title, Call Numbers, or Items, and Global Item Modification, although access to additional cataloging wizards is included in this basic level.
 - Refer to the "Bibliographic Database Standards," posted [here](#), for more information about the basic cataloging level, including a complete list of included wizards.

- Batch editing:
 - This authorization level includes access to the item group editor wizard to search by cataloging code for items in the library's collection and *routinely* perform batch edits on multiple items at once.
 - Refer to the "Bibliographic Database Standards," posted [here](#), for more information about the batch editing level.
 - Staff who do not meet the standards for the batch editing level, and/or staff who only *occasionally* need batch edits performed on the library's collection, should submit a ticket to the RSA Help Desk that describes the collection batch edits needed. RSA staff will perform the batch edits on behalf of the library.
- OCLC cataloging:
 - This authorization level involves *routinely* using OCLC Connexion, either the Browser interface or the desktop Client program, to search OCLC WorldCat for bibliographic records for items that need to be cataloged yet lack existing matching records in WorkFlows. The OCLC cataloging level involves attaching local holdings information to the bibliographic record in OCLC Connexion, exporting the record, and loading it into WorkFlows using the MARC Import wizard and Load Bibliographic Records report.
 - Refer to the "Bibliographic Database Standards," posted [here](#), for more information about the OCLC cataloging level.
- WorkFlows cataloging accounts should never be used by multiple staff members when they perform cataloging tasks. Staff may, however, share the same cataloging account in order to efficiently perform circulation tasks (i.e., checkouts and holds) for patrons at a public services desk.
- The authorization levels configured into your WorkFlows cataloging account will reflect your cataloging responsibilities, your completion of RSA or in-house cataloging training, and your cataloging experience.
- If your WorkFlows cataloging account is not configured to allow access to a particular wizard, you will see the override box, shown below, when you try to access the blocked wizard:




If you have questions about the configuration of your WorkFlows cataloging account, please the RSA Help Desk at help@librariesofrsa.org or 1-866-940-4083.

- Library directors and/or managers may request a complete list of the library's WorkFlows cataloger accounts, including user IDs, associated users, and authorization levels. Please email the RSA Help Desk at help@librariesofrsa.org to request a complete list. If cataloger account PINs are also requested, RSA will share those in a separate email for security purposes.
- The library's complete list of WorkFlows accounts will also include override passwords to allow library staff without cataloging accounts the option to assist with collection maintenance activities using the Delete Title, Call Numbers, or Items and Global Item Modification wizards. Directors and/or managers will share, at their discretion, the override passwords with the appropriate staff.
- To provide ease of access by multiple library staff (especially in the case of staff absence), no overdue, bill, or courtesy notices will be assigned to individual cataloging accounts.

Using the RSACat to Change Your Cataloging Account PIN

- Each staff member issued a cataloging account has the option, though not required, to change the PIN to ensure its use only by that staff member.
- Due to the WorkFlows administrative back-end configuration of individual cataloging accounts, the PIN can only be changed from the RSACat.
- Your cataloging account PIN cannot be changed from the WorkFlows Modify User wizard. If you try to change the PIN from the Modify User wizard, you will see the following error:



- Follow these steps to change the PIN using the RSACat:
 1. WorkFlows can be open, logged in as CIRC, SUPER, or an individual cataloger, before you change your cataloging account PIN.

WorkFlows can also be closed on your computer before you change your cataloging account PIN.

Whether WorkFlows is opened or closed does not affect your ability to change your cataloging account PIN in RSACat.

2. Open an internet browser on your computer. Google, Chrome, Firefox, and Safari can all access the RSACat.
3. Open your library's RSACat library catalog. If you are unsure of the link, look it up here: <https://support.librariesofrsa.org/project/rsacat-link/>
4. At the top of your library's RSACat, click the "My Account" link.
5. On the pop-up box, enter the user ID of your WorkFlows cataloging account.

Your user ID begins with the first two letters of the library's WorkFlows code (or the first three letters of the library's code in the case of some libraries with

branches), directly followed by an underscore, then your complete first name, followed by the first letter of your last name.

Your user ID can be typed in upper or lowercase letters. The RSACat automatically converts lowercase letters you type into uppercase letters.

6. For the PIN, type your cataloging account's existing PIN.

Like your user ID, your PIN can be typed in upper or lowercase letters. The RSACat automatically converts lowercase letters you type into uppercase letters.

7. Click "Log in." The pop-up box may display the status "Logging in..." for a few seconds.
8. Once you are logged into the RSACat, click on the "Personal Information" tab, and your name will appear at the top of the page.
9. Click the arrow next to the "Change PIN" menu.
10. The change PIN menu will expand. For the current PIN, delete the auto-populated PIN. Type in all caps your existing PIN.
11. In the "New PIN" field, enter your preferred PIN for your cataloger account.

RSA requires your PIN to meet all four of these criteria:

- Entered in all caps
- At least four characters long
- Contain at least one letter
- Contain at least one number

12. RSA *strongly* recommends that you write down the new PIN for your cataloger account. This is especially important because you cannot view your cataloging account's PIN in the Modify User wizard. Asterisks appear in place of the actual PIN.

If you forget your cataloging account's PIN after you change it, please contact the RSA Help Desk at help@librariesofrsa.org or 1-866-940-4083.


13. Re-type your new PIN in uppercase letters into the "Confirm New PIN" field in the RSACat.

Please re-type it and do not simply copy/paste it from the new PIN field.


14. Click the “Update” button at the bottom of the change PIN menu. The PIN will immediately change on your WorkFlows cataloging account.
15. The RSAcat will confirm your PIN has been successfully changed with a green message.
16. Log out of the RSAcat using the “Log Out” link at the top of the page.
17. Once you are no longer logged into your RSAcat account, the “Log In” link will reappear at the top of the page, and your name will no longer display at the top of the page.

How to Log into WorkFlows to Adjust Settings


1. Double click the WorkFlows icon on your computer's desktop.



2. Ensure the WorkFlows configuration box uses the correct settings. Make any necessary adjustments to the settings so they match those shown here:




3. Click OK.
4. The login box will open:



If you are adjusting any circulation module settings in this guide, they will be adjusted while you are logged into WorkFlows in SUPER (“supervisor”) mode.

- The user ID for your SUPER account is your WorkFlows library code immediately followed by SUPER.
- The PIN for the SUPER account in most cases is SUPER.
- If your library has edited the PIN for the SUPER account and you are unable to log in, please contact the RSA Help Desk at help@librariesofrsa.org.

Here is an example of a SUPER account. AASTOR-PLD is shown here, but your library code will differ.




The screenshot shows a Windows-style dialog box titled "WF : Login". It has a light purple background. Inside, there are two text input fields. The first is labeled "User ID:" and contains the text "AASTOR-PLDSUPER". The second is labeled "PIN:" and contains six asterisks "*****". Below the input fields are two buttons: "OK" and "Cancel".

If you are only adjusting cataloging module settings in this guide, they will be adjusted while you are logged into WorkFlows using your individual cataloging account.


- The user ID for an individual cataloging account is the first two or three letters of your WorkFlows library code, followed by an underscore, your first name, and last initial.
- If you are unsure of the PIN for your individual cataloging login, please contact the RSA Help Desk at help@librariesofrsa.org.

Here is an example of an individual cataloger account for Astoria PLD. Your individual cataloging account will differ.




The screenshot shows a Windows-style dialog box titled "WF : Login". It has a light purple background. Inside, there are two text input fields. The first is labeled "User ID:" and contains the text "AA_JENNIFERW". The second is labeled "PIN:" and contains eight asterisks "*****". Below the input fields are two buttons: "OK" and "Cancel".

5. Click OK after entering your user ID. WorkFlows will take several seconds to open and display this screen:



WorkFlows Interface Terminology

Once you are logged into WorkFlows, the interface should look similar to that shown here.



Viewing Your Cataloging Account in WorkFlows

- Your cataloging account will be visible if you search by your first and last name in any circulation wizard, including the User Search helper in the CheckOut or Modify User wizards.

Below is a screen shot of a search from the User Search helper in the Modify User wizard. The individual cataloging account appears boxed in red.

Modify User : User Search

Search for:
Name:
LAUGHLIN,
ERICA

Search for: Search

Index: Name AND OR

Library: ALL_LIBS

Type:
☒ Keyword
☐ Browse
☐ Browse user group

List of users

Name	User ID	Alt ID	Phone
Laughlin, Erica	ERICA		
LAUGHLIN, ERICA	D150098745		866-940-4083
LAUGHLIN, ERICA	MQ_ERICAL		
LAUGHLIN, ERICA JAYNE	D667076018		(309) 472-9265

Modify User Display this User Group Return to User Group List Cancel

- WorkFlows cataloging accounts should *never* be used by a staff member to check out or put holds on materials for personal or internal use, such as for repair or other technical service functions.

All cataloging accounts are barred to prevent personal or internal checkouts.

The following note is also entered on each cataloger account's profile as a reminder: "DO NOT USE FOR PERSONAL OR TECH SERVICES CHECKOUTS." The entry of the note in all caps adheres to RSA patron registration standards.

- To check the authorization levels configured into your cataloging account, search by name or user ID in Modify User wizard. Once your cataloging account is displayed, hover your cursor over the CAT text that appears next to “Profile name” at the top of the screen.

A small yellow box should appear with a caption that indicates which authorization level(s) are configured in your cataloging account. “BC” should always be present in the caption. “BC” indicates your account includes the “Basic Cataloging” authorization level.

Modify User x

Identify User

Name: LAUGHLIN, ERICA
Id: MQ_ERICAL
Group ID:
Profile name: CAT1-BASIC

BC (Basic cataloging) -Basic Online

User ID: MQ_ERICAL

Basic Info | Privilege | Demographics | Addresses | Extended Info

Title:
First name: ERICA
Preferred name: ☐ Use preferred name
Middle name:
Last name: LAUGHLIN
Suffix:
User ID: MQ_ERICAL
Alt ID: ☒ Allow routing
Group ID:
Library: MQUETTE-HT
Profile name: *****
Charge history rule: NOHISTORY

Asterisks should appear in the profile name menu in the middle of the Display or Modify User wizard.

- If a cataloging profile is visible in the profile name menu, rather than asterisks, please do not change the cataloging profile to a different profile. Doing so will prevent cataloging access in your account.

Please contact the RSA Help Desk to customize your user profile menu to include only those profiles used by your library. Once your library's user profile menu is customized, your specific cataloging profile will appear in asterisks in the profile name menu, as shown in the screenshot on the previous page.

Preference Menu: WorkFlows Configuration Settings

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Go to the Preference menu at the top.
3. Select Configuration.
4. Ensure the following is unchecked: "Operate in Offline mode."
5. The IP address should be workflows.librariesofrsa.org
6. The port should be 5100
7. The workstation name may be left as-is.
8. The login timeout should be 60000 seconds.
9. Ensure the following is checked "Show this window on next startup."
10. Click OK to close the configuration box.
11. Click OK on the box that has the warning "These changes will not go into effect until you restart the workstation."
12. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --
13. If you only need to adjust the WorkFlows configuration settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed configuration settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their configuration settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

If the Configuration box does not appear when you initially open WorkFlows, most likely the "Show this window on next startup" box was somehow unchecked. To ensure the box shows up the next time you open WorkFlows, do the following:

1. Log into WorkFlows using your individual cataloging account.
2. Go to the Preference menu at the top.
3. Select Configuration.
4. Ensure the following is checked: "Show this window on next startup."
5. Click OK to close the configuration box.
6. Click OK on the box that has the warning "These changes will not go into effect until you restart the workstation."
7. If you need to adjust further settings, go ahead and do so. If not, you can close WorkFlows and halt the workstation.
8. The next time you open WorkFlows, the Configuration box will appear.

Preference Menu: Setting the WorkFlows Font


1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Go to the Preference menu at the top.
3. Select Desktop, then click on Font Settings.
4. On the pop-up box, make sure both "Use system defaults" boxes are unchecked.
5. Under "Menu text," use the gadget to select one of these fonts:
 - Dialog – Select first if it appears in the list.
 - Lucida Console – Select second if no Dialog.
 - Verdana – Use this font if neither Dialog nor Lucida Console is in the list.
6. In "Menu text," select a font style of "bold" and a size of at least 12. Select a larger size for a larger computer screen.
7. Click OK to close the menu text settings.
8. Under "Window text," use the gadget to select one of these fonts:
 - Dialog – Select first if it is in the list.
 - Lucida Console – Select second if no Dialog.
 - Verdana – Use this font if neither Dialog nor Lucida Console is in the list.
9. In "Window text," select a font style of "regular" and a size of at least 12. Select a larger size for a larger computer screen.
10. Click OK to close the window text settings.
11. Click OK to close the font settings box.
12. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --
13. If you only need to adjust the WorkFlows font settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed font settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their font adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.


Preference Menu: Setting the WorkFlows Desktop Preferences

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Go to the Preference menu at the top.
3. Select Desktop, then click on Desktop Setup.
4. On the pop-up box, use the gadget button next to “Max response size” to enter 5000000 if it is not already set.
5. Scroll down in the pop-up box. Under “Themes,” choose an interface color.
 - You may select any theme *except* Classic.
 - WorkFlows may be opened more than once on the same computer. Opening multiple instances of WorkFlows may be helpful for logging into the individual cataloger account and also into the CIRC account to retrieve overdues, courtesy notices, or bills.
 - If multiple instances of WorkFlows are open on the same computer, RSA recommends that you change the theme of the WorkFlows interface to a different color for each open WorkFlows. The change in color will be a visual cue, helpful for easily identifying that WorkFlows is open multiple times under different accounts.
 - Changing the theme only affects a single WorkFlows on a single computer – not all WorkFlows installed on all computers at the library. The theme is saved in WorkFlows on a per-computer basis.
 - Before you shut WorkFlows, RSA recommends changing the theme back to the theme that WorkFlows was originally configured to use before you changed it to distinguish multiple WorkFlows open on that computer.
 - If you do not restore the original theme before you shut WorkFlows, the changed theme will still be visible when WorkFlows is re-opened on that computer, whether under the CIRC, individual cataloger, or SUPER account. By restoring the original theme, the next time you log into WorkFlows using the CIRC, individual cataloger, or SUPER account, WorkFlows will display its usual interface color, rather than the changed color.
6. Scroll down in the pop-up box. Under “Icon set,” choose either “Classic” to keep the icons as they were, or choose “Modern” to update them to the new, modern display. Choose the icon set you prefer. RSA has no requirement to use one icon set over another.

Classic Icons:



Modern Icons:




7. At the bottom of the Desktop Setup pop-up, check the box next to "Multiple windows mode."
 8. Check the box next to "Tabbed windows."
 9. *Optional*—If you prefer the tabs that display open wizards to appear on the bottom of the WorkFlows screen, check the box next to "Tabbed windows on bottom."
 10. Click OK to close the box.
 11. Click OK on the box that has the warning "These changes will not go into effect until you restart the workstation."
 12. Click "OK."
 13. Do not exit WorkFlows. Continue to adjust the settings in this guide.
- or --
14. If you only need to adjust the WorkFlows desktop preferences at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed desktop preferences will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their desktop preferences adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Help Menu: Check the Current WorkFlows User

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Go to the Help menu at the top.
3. Select Session Info.
4. On the pop-up box, check the line labeled “user access.” CATALOGER or CIRC should appear as the value for the user access.
 - Never perform cataloging or circulation operations when WorkFlows is logged in as SUPER.
 - The SUPER account should *only* be used to adjust WorkFlows properties.
5. Click OK to close the Session Info box.
6. No need to exit WorkFlows and save properties after checking the current WorkFlows user.

Help Menu: Check the WorkFlows Version Number

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Go to the Help menu at the top.
3. Select About.
4. In the pop-up box, under the SirsiDynix WorkFlows logo, look for a series of numbers that includes periods.
 - If you see 4.2.0.0.1335, your WorkFlows client is up to date.
5. Click OK to close the box.
6. No need to exit WorkFlows and save properties after checking the WorkFlows version number.



Cataloging Module: Call Number and Item Maintenance Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. Expand the “Common Tasks” group on the left side of the screen if it is not already expanded.
4. Right click on “Call Number and Item Maintenance,” select “Properties.”
5. In the pop-up window, select the “Defaults” tab.
6. Expand the pop-up window if necessary to see all the information.
7. Under “Search preferences,” you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

8. Under “Call number default values,” select your WorkFlows code from the library drop-down menu. Due to WorkFlows reconfiguration on April 8, 2020, AG_ALS-PDC will now appear as the default until you select your library.

Call Number and Item Maintenance : Set Properties

Display property page: ☐ Wizard Startup ☒ Never

Defaults

Search preferences

Type: EXACT

Index: Item ID

Library: ALL

☒ Display View Pane

Editor display options

☐ MARC View ☒ Display fixed fields

☒ Descriptive view ☒ Display descriptive labels (for entries)

Call number default values

Library: AASTOR-PLD ☐ Shadow call number

Class scheme: AASTOR-PLD ☐ Show shelving key

Item tree defaults

☐ Item tree display collapsed ☒ Item tree display expanded

Extended Info Display Options

☒ Display staff note on item list

☒ Display public note on item list

OK Cancel

Select your library code from this menu to avoid cataloging items as AG_ALS-PDC. AASTOR-PLD is shown here, but your library code will differ.

9. For the class scheme, make sure “Dewey” appears in the menu. If your library uses Library of Congress classification for its call numbers, select “LC.” If your library uses National Library of Medicine classification, select “NLM.”
10. Under “Item tree defaults,” make sure the collapsed option is selected.
11. Under “Item required default values,” select the item type code your library most often uses when cataloging. BOOK is likely the default you will select from the item type menu.
12. For home location, select the code your library most often uses when cataloging (FICTION or NONFICTION, for example).
13. Make sure the boxes next to “Permanent” and “Circulate” are checked.
14. For item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
15. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
16. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
17. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
18. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
19. For item categories 6-10, ensure UNDEFINED is selected.
20. Under “Holds Tab,” make sure the “Show holds” check box is selected. The following should also be selected under “Holds Tab”:
 - Library type: Placed at library
 - Library: All libraries
 - Holds type: Active
21. Under “Tab Display Preference,” select Bibliographic.
22. Click “OK” at the bottom of the window to save your changes and close the window.
23. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

24. If you only need to adjust the Call Number and Item Maintenance settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the Call Number, and Item Maintenance settings you previously changed will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and need their Call Number and Item

Maintenance settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Item Search and Display Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Common Tasks toolbar on the left, put your cursor over the Item Search and Display wizard and right click.
4. Select Properties. A pop-up window appears.
5. Expand the pop-up window if necessary to see all the information.
6. Under "Search preferences," you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

7. Under "Item tree defaults," make sure the collapsed option is selected.
8. Under "Tab Display Preference," select Call Number/Item.
9. Click "OK" at the bottom of the window to save your changes and close the window.
10. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

11. If you only need to adjust the Item Search and Display settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Item Search and Display settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and need their Item Search and Display settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Item Search and Display Wizard *Optional Setting*

If the default search screen in the “Call Number and Item Maintenance” and “Item Search and Display” wizards should open to the advanced search screen, with a single search field and options to select “keyword,” “browse,” or “exact” as the search type, please follow the steps below to configure this setting.

Configuring your “Call Number and Item Maintenance” and “Item Search and Display” wizards to open to the advanced search screen by default is optional. If you do not configure this setting, the “Call Number and Item Maintenance” and “Item Search and Display” wizards will open to the keyword search screen with multiple search fields for the author, title, series, subject, general, and periodical title.

Please follow these steps if you want to configure the “Call Number and Item Maintenance” and “Item Search and Display” wizards to open to the advanced search screen by default.

1. Log into WorkFlows using your library’s SUPER account. Check with your library supervisor or contact the RSA Help Desk at 1-866-940-4083 if you are unsure of your SUPER account.
2. Click on the Cataloging module at the top.
3. In the Common Tasks toolbar on the left, put your cursor over the Item Search and Display wizard and right click.
4. Select “Properties.”
5. In the pop-up window, select the “Helpers” tab.
6. Expand the pop-up window if necessary to see all the information.
7. Click the “Configure” button next to the “Advanced search” option.
8. In the pop-up window, select the button next to “Single field search.”
9. Click “OK” at the bottom of the pop-up window to save your change and close the window.
10. Do not exit WorkFlows. Continue to adjust the settings in this guide.
-- or --
11. If you only need to adjust this Item Search and Display setting at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Item Search and Display setting will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Item Search and Display settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Add Title (i.e., Brief Record) Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Titles toolbar on the left, put your cursor over the Add Title wizard and right click.
4. Select “Properties.” A pop-up window appears.
5. Expand the pop-up window if necessary to see all the information.
6. Under “Title default values,” make sure the “Format” is set to brief.
7. The “Entries template” should be set to TEMPLATE.
8. Under “Call number default values,” select your WorkFlows code from the library drop-down menu. Due to WorkFlows reconfiguration on April 8, 2020, AG_ALS-PDC will now appear as the default until you select your library.

Display property page: ☐ Wizard Startup ☒ Never

Defaults

Title default values

Format: BRIEF **Entries template:** TEMPLATE

☐ Shadow title **Entries:**

☒ Add item when creating title

Editor display options

☐ MARC View ☒ Display fixed fields

☒ Descriptive view ☒ Display descriptive labels (for entries)

Call number default values

Library: AG_ALS-PDC ☐ Shadow call number

Class scheme: AASTOR-PLD ☐ S

Item required default values

Type: BOOK ☒ N

OK Cancel

Select your library code from this menu to avoid cataloging items as AG_ALS-PDC. AASTOR-PLD is shown here, but your library code will differ.

9. For the class scheme, make sure “Dewey” appears in the menu. If your library uses Library of Congress classification for its call numbers, select “LC.” If your library uses National Library of Medicine classification, select “NLM.”
10. Under “Item required default values,” select the item type code your library most often uses when cataloging. BOOK is likely the default you will select from the item type menu.

11. For home location, select the code your library most often uses when cataloging (FICTION or NONFICTION, for example).
12. Make sure the boxes next to "Permanent" and "Circulate" are checked.
13. For item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
14. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
15. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
16. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
17. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
18. For item categories 6-10, ensure UNDEFINED is selected.
19. Under "Tab Display Preference," make sure Bibliographic is selected.
20. Click "OK" at the bottom of the window to save your changes and close the window.
21. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --
22. If you only need to adjust Add Title (i.e., brief record) settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Add Title settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Add Title settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Delete Title, Call Numbers, or Items Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Titles toolbar on the left, put your cursor over the Delete Titles, Call Numbers, or Items wizard and right click.
4. Select "Properties." A pop-up window appears.
5. Expand the pop-up window if necessary to see all the information.
6. Under "Search preferences," you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

7. Under "Item tree defaults," make sure the collapsed option is selected.
8. Click "OK" at the bottom of the window to save your changes and close the window.
9. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

10. If you only need to adjust Delete Title settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Delete Title settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Delete Title settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Add Item Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Call Numbers and Items toolbar on the left, put your cursor over the Add Item wizard and right click.
4. Select “Properties.” A pop-up window appears.
5. Expand the pop-up window if necessary to see all the information.
6. Under “Search preferences,” you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

7. Under “Item tree defaults,” make sure the collapsed option is selected.
8. Under “Item required default values,” select the item type code your library most often uses when cataloging. BOOK is likely the default you will select from the item type menu.
9. For home location, select the code your library most often uses when cataloging (FICTION or NONFICTION, for example).
10. Make sure the boxes next to “Permanent” and “Circulate” are checked.
11. For item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
12. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
13. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
14. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
15. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
16. For item categories 6-10, ensure UNDEFINED is selected.
17. Under “Holds Tab,” make sure the “Show holds” check box is selected. The following should also be selected under “Holds Tab”:
 - a. Library type: Placed at library
 - b. Library: All libraries
 - c. Holds type: Active
18. Under “Tab Display Preference,” select Call Number/Item.
19. Click “OK” at the bottom of the window to save your changes and close the window.
20. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

21. If you only need to adjust Add Item settings at this time, do the following:
- a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Add Item settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Add Item settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Edit Item Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Call Numbers and Items toolbar on the left, put your cursor over the Edit Item wizard and right click.
4. Select "Properties." A pop-up window appears.
5. Under "Search preferences," you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

6. Under "Item tree defaults," make sure the collapsed option is selected.
7. Under "Holds Tab," make sure the "Show holds" check box is selected. The following should also be selected under "Holds Tab":
 - a. Library type: Placed at library
 - b. Library: All libraries
 - c. Holds type: Active
8. Under "Tab Display Preference," select Call Number/Item.
9. Click "OK" at the bottom of the window to save your changes and close the window.
10. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

11. If you only need to adjust Edit Item settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Edit Item settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Edit Item settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Cataloging Module: Transfers Wizard

1. If you have not already done so, log into WorkFlows using your individual cataloging account.
2. Click on the Cataloging module at the top.
3. In the Special toolbar on the left, put your cursor over the Transfers wizard and right click.
4. Select "Properties." A pop-up box appears.
5. *Optional*—Under "Search preferences," you can adjust the search type, index, and library for the advanced search screen.

A search by item ID (barcode) can be selected here:

For the Type, select Exact.

For the Index, select Item ID.

For the Library, select ALL.

6. Under "Item tree defaults," make sure the expanded option is selected.
7. Click OK to close the pop-up box.
8. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

9. If you only need to adjust Transfer settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Transfer settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Transfer settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Circulation Module: Add Brief Title Helper

1. Log into WorkFlows using your library's SUPER account. Check with your library supervisor or contact the RSA Help Desk at 1-866-940-4083 if you are unsure of your SUPER account.
2. Click on the Circulation module at the top.
3. Expand the "Common Tasks" group on the left side of the screen if it is not already expanded.
4. Right click on "Check Out," select "Properties."
5. In the pop-up window, select the "Helpers" tab.
6. Click on "Add Brief Title."
7. Another pop-up window will appear where you can select default values.
8. Make sure the "Format" and the "Entries template" are both set to BRIEF.
9. Make sure the boxes next to "Permanent" and "Circulate" are checked.
10. For the "Type," select the item type code your library most often uses when cataloging. BOOK is likely the default you will select from the item type menu.
11. Under "Call number default values," select your WorkFlows code from the library drop-down menu. Due to WorkFlows reconfiguration on April 8, 2020, AG_ALS-PDC will now appear as the default until you select your library.

The screenshot shows a dialog box titled "CheckOut : Add Brief Title:Set Properties". It has two tabs: "Behavior" and "Defaults". The "Defaults" tab is selected. The fields and their values are as follows:

- Format: BRIEF
- Use entries: BRIEF
- Shadow title: ☐
- Permanent: ☒
- Circulate: ☒
- Type: BOOK
- Library: (empty dropdown menu)
- Home location: (empty text field)
- Class scheme: AASTOR-PLD, AG_ALS-PDC
- Optional Fields: (empty text field)
- Item cat1: FICTION

At the bottom are "OK" and "Cancel" buttons. A red arrow points to the "Library" dropdown menu.

Select your library code from this menu to avoid cataloging items as AG_ALS-PDC. AASTOR-PLD is shown here, but your library code will differ.

12. For home location, RSA recommends selecting CATALOGING as the default home location.
 - This default will help ensure upon discharge, the brief item is routed to library staff to be re-cataloged on a full bibliographic record in WorkFlows.
13. For the class scheme, make sure “Dewey” appears in the menu. If your library uses Library of Congress classification for its call numbers, select “LC.” If your library uses National Library of Medicine classification, select “NLM.”
14. Under “Optional Fields,” for item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
15. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
16. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
17. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
18. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
19. For item categories 6-10, ensure UNDEFINED is selected.
20. Click “OK” at the bottom of the window to save your changes and close the window.
21. Click “OK” again to close the “Properties” window.
22. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --
23. If you only need to adjust Add Brief Title settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Add Brief Title settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Add Brief Title settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Circulation Module: Add Item Wizard

1. Log into WorkFlows using your library's SUPER account. Check with your library supervisor or contact the RSA Help Desk at 1-866-940-4083 if you are unsure of your SUPER account.
2. Click on the Circulation module at the top.
3. Expand the "Items" group on the left side of the screen if it is not already expanded.
4. Right click on "Add Item," select "Properties."
5. In the pop-up window, select the "Defaults" tab.
6. Expand the pop-up window if necessary to see all the information.
7. Under "Search preferences," you can adjust the search type, index, and library for the advanced search screen.
 - A search by item ID (barcode) can be selected here:
 - For the Type, select Exact.
 - For the Index, select Item ID.
 - For the Library, select ALL.
8. Under "Item tree defaults," make sure the collapsed option is selected.
9. Under "Item required default values," select the item type code your library most often uses when cataloging. BOOK is likely the default you will select from the item type menu.
10. For home location, select the code your library most often uses when cataloging (FICTION or NONFICTION, for example).
11. Make sure the boxes next to "Permanent" and "Circulate" are checked.
12. For item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
13. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
14. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
15. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
16. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
17. For item categories 6-10, ensure UNDEFINED is selected.
18. Under "Holds Tab," make sure the "Show holds" check box is selected. The following should also be selected under "Holds Tab":
 - a. Library type: Placed at library
 - b. Library: All libraries
 - c. Holds type: Active
19. Under "Tab Display Preference," select Call Number/Item.
20. Click "OK" at the bottom of the window to save your changes and close the window.

21. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

22. If you only need to adjust Add Item settings at this time, do the following:

- a. Click the X in the upper right corner of WorkFlows.
- b. Click "Yes" when warned "This will halt the workstation."
- c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
- d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Add Item settings will be retained.
- e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Add Item settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.

Circulation Module: Add Brief Title Wizard

1. Log into WorkFlows using your library's SUPER account. Check with your library supervisor or contact the RSA Help Desk at 1-866-940-4083 if you are unsure of your SUPER account.
2. Click on the Circulation module at the top.
3. Expand the "Items" group on the left side of the screen if it is not already expanded.
4. Right click on "Add Brief Title," select "Properties."
5. Another pop-up window will appear where you can select default values.
6. Make sure the "Format" and the "Entries template" are both set to BRIEF.
7. Make sure the boxes next to "Permanent" and "Circulate" are checked.
8. For the "Type," RSA recommends selecting an ILL code as the default item type if your library uses the "Add Brief Title" wizard to catalog non-RSA interlibrary loan items.
9. Under "Call number default values," select your WorkFlows code from the library drop-down menu. Due to WorkFlows reconfiguration on April 8, 2020, AG_ALS-PDC will now appear as the default until you select your library.

W Add Brief Title : Set Properties

Display property page: ☐ Wizard Startup ☒ Never

Behavior Defaults

Format: BRIEF

Use entries: BRIEF

☐ Shadow title

☒ Permanent

☒ Circulate

Type: BOOK

Library: AASTOR-PLD

Home location:

Class scheme: AG_ALS-PDC

Optional Fields

Item cat1: FICTION

Item cat2: ADULT

Item cat3: BOOK

Item cat4: UNDEFINED

Item cat5: UNDEFINED

OK Cancel

Select your library code from this menu to avoid cataloging items as AG_ALS-PDC. AASTOR-PLD is shown here, but your library code will differ.


10. For home location, RSA recommends selecting an ILL code as the default home location if your library uses the "Add Brief Title" wizard to catalog non-RSA interlibrary loan items.
11. For the class scheme, make sure "Dewey" appears in the menu. If your library uses Library of Congress classification for its call numbers, select "LC." If your library uses National Library of Medicine classification, select "NLM."
12. Under "Optional Fields," for item category 1, select FICTION or NONFICTION as the default, depending on which code you use more often when cataloging.
13. For item category 2, select ADULT, JUVENILE, or YOUNGADULT as the default, depending on which code you use most often when cataloging.
14. For item category 3, select the general format code you will use most often when cataloging. You will likely select BOOK as the default item cat 3. For a complete list of item cat 3 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3842>
15. For item category 4, select a default code for genre. Assigning item cat 4 is strongly recommended but not required. For a complete list of item cat 4 codes, see <https://alsi.sdp.sirsi.net/client/search/asset/3862/0>
16. For item category 5, select a default code for sub-genre. Assigning item cat 5 is optional. For a complete list of item cat 5 codes, see the list posted at <https://alsi.sdp.sirsi.net/client/search/asset/3863>
17. For item categories 6-10, ensure UNDEFINED is selected.
18. Click "OK" at the bottom of the window to save your changes and close the window.
19. Do not exit WorkFlows. Continue to adjust the settings in this guide.

-- or --

20. If you only need to adjust Add Brief Title settings at this time, do the following:
 - a. Click the X in the upper right corner of WorkFlows.
 - b. Click "Yes" when warned "This will halt the workstation."
 - c. Click "Yes" when asked "Properties have been changed. Would you like to save changes?"
 - d. WorkFlows will close. The next time you log into WorkFlows, the previously changed Add Brief Title settings will be retained.
 - e. Remember to repeat the steps in this section on any other library computers that have WorkFlows installed on them and also need their Add Brief Title settings adjusted. Settings changed in one WorkFlows instance do not automatically transfer to another WorkFlows instance.


How to Complete WorkFlows Set-up

1. Click the X in the upper right corner of WorkFlows.
2. A pop-up will appear with this message:



Click Yes.

3. Another pop-up will appear with this message:



Click "Yes."

If "No" is selected, none of the settings you changed will be saved for your next WorkFlows session! You will need to reset them.

4. WorkFlows will close. You should see your computer's desktop.

Important Reminder about WorkFlows Set-up

Once you finish setting up WorkFlows, please remember to repeat the steps in this guide or copy your master Sirsi folder on all WorkFlows used for cataloging at your library. Doing so will ensure the settings are correctly configured in all of your library's WorkFlows.

Removal of Cataloging Accounts from WorkFlows

- Cataloging accounts are assigned protected profiles in WorkFlows. As a result, staff cannot use the Remove User wizard to delete their own cataloging account or that of a colleague.

If you try to remove a cataloging account, you will see the following error:



- Please contact the RSA Help Desk at help@librariesofrsa.org or 1-866-940-4083 if you need to delete your cataloging account or that of a colleague. RSA must be notified each time a staff member assigned a cataloging account no longer works at the library so his/her account can be removed from WorkFlows.
- Removal of cataloger accounts will be especially crucial to your library's security once RSA begins to use the web-based SirsiDynix BLUEcloud interface, which can be accessed from any internet connection to perform cataloging and circulation tasks, as well as run reports.